

ľ

SPECIALLY DENATURED ETHYL ALCOHOL SDAG-9 ANHYDROUS				
Test	Units	Method	Specification	
Density in Air, Kg/L at 20 C		Methods specified in the Revenue Canada Customs & Excise Alcoholometric Tables	0.7885 max.	
Ethyl Alcohol Content, v/v%		Calculation	94.8 min.	
Water Content, v/v%		Karl Fischer Titration	0.14 max.	
Acids as Acetic Acid, g/100 mL		ASTM D 1613-06	0.002 max.	
Colour		АРНА	4 max.	
Miscibility with Water, at 20 C		Visual	Complete	
Composition:			Reference Number: 4.10-86	
100 litres anhydrous ethyl alcohol 99.99	6 vol. min.		Approved by: P.O.	
5 +/- 0.5 litres isopropyl alcohol			Effective Date: 06/Feb/2018	
			Revision Number: 5	

Ethyl alcohol used in the formulation of the product:

Acids as Acetic Acid, g/100mL	0.0020 max.
Esters as Ethyl Acetate, g/100mL	0.0015 max.
Aldehydes as Acetaldehyde, g/100mL	0.0007 max.
Higher Alcohols, g/100mL	0.0040 max.
Nonvolatile Residue, g/100mL	0.0020 max.