

## PRODUCT SPECIFICATION SHEET

## PROPRIETARY SOLVENT Formula III-1, 190 proof

(ETHANOL DENATURED WITH METHANOL, MIBK, ETHYL ACETATE, RUBBER HYDROCARBON SOLVENT, DENATONIUM BENZOATE)

Grain Derived Ethanol
Main Catalog #: 125PSIII1190-Size Code\*

## Available in the following sizes:

\*Refer to Master Price List – Individual package sizes have unique size codes

Test	Specifications	Typical Result
Appearance	Clear, free of suspended matter	Pass
Color (Pt/Co)	10 maximum	<5
Specific Gravity @ 60 deg. F	0.810 - 0.816	0.815
Odor	Characteristic	Pass
Apparent proof	190.0 Minimum	190.3
Ethanol	92.45% (v/v)	Pass
Methanol	3.71% (v/v)	Pass
Ethyl Acetate	0.96% (v/v)	Pass
MIBK	1.92% (v/v)	Pass
Rubber Hydrocarbon Solvent	0.96% (v/v)	Pass
Denatonium Benzoate	0.001% (wt/v)	Pass

Form: Prop Solv III-1, 190, Rev. 1.0, 06/17, SDK

This product is for further commercial manufacturing, laboratory or research use, and may be used as an excipient or a process solvent for pharmaceutical purposes. It is not intended for use as an active ingredient in drug manufacturing nor as a medical device or disinfectant. Appropriate/legal use of this product is the responsibility of the user.