

| SPECIALLY DENATURED ETHYL ALCOHOL SDAG-7 ANHYDROUS | | | |
|--|--------------|--|-----------------------------|
| Test | Units | Method | Specification |
| Density in Air, Kg/L at 20 C | | Methods specified in the Revenue Canada Customs & Excise Alcoholometric Tables | 0.7891 max. |
| Ethyl Alcohol Content, v/v% | | Calculation | 99.3 min. |
| Water Content, v/v% | | Karl Fischer Titration | 0.14 max. |
| Acids as Acetic Acid, g/100 mL | | ASTM D 1613-06 | 0.002 max. |
| Colour | | APHA | 4 max. |
| Miscibility with Water, at 20 C | | Visual | Complete |
| Composition: 100 litres anhydrous ethyl alcohol 99.9% vol. min. 0.5 +/- 0.05 litres toluene | | | Reference Number: 4.10-82 |
| | | | Approved by: P.O. |
| | | | Effective Date: 06/Feb/2018 |
| | | | Revision Number: 5 |

Ethyl alcohol used in the formulation of the product:

| | |
|------------------------------------|-------------|
| Acids as Acetic Acid, g/100mL | 0.0020 max. |
| Esters as Ethyl Acetate, g/100mL | 0.0015 max. |
| Aldehydes as Acetaldehyde, g/100mL | 0.0007 max. |
| Higher Alcohols, g/100mL | 0.0040 max. |
| Nonvolatile Residue, g/100mL | 0.0020 max. |