

SAFETY DATA SHEET

1. Identification

Product identifier Ethyl Lactate:Ethanol Tincture

Other means of identification

Synonyms Ethyl lactate blender * ethyl lactate extract * ethyl lactate flavour base * ethyl lactate flavour * ethyl

lactate spirits * ethyl lactate concentrate, organic ethanol:ethyl lactate tincture

Recommended use Food and beverage applications

Recommended restrictions Refer to the alcohol control authority in which the product is to be used - Canada Revenue Agency

(Excise) in Canada, US Tax and Trade Bureau in the US, etc.

Manufacturer/Importer/Supplier/Distributor information

Company nameGreenfield Global Inc.Address6985 Financial Drive

Missisauga, Ontario L5N 0G3

Canada

Telephone (905) 790-7500

Website http://www.greenfield.com
Emergency phone number CHEMTREC: 1-800-424-9300

2. Hazard identification

Physical hazardsFlammable liquidsCategory 2Health hazardsSerious eye damage/eye irritationCategory 2

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapour. Causes serious eye irritation.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use water fog, alcohol-resistant foam, dry chemical powder, carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Storage

Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	91 - < 92
Ethyl lactate		97-64-3	1 - < 2

Ethyl Lactate:Ethanol Tincture SDS Canada

Chemical name CAS number %

Water 7732-18-5 7.08

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

5. Fire-fighting measures

Suitable extinguishing media
Unsuitable extinguishing
media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Combustion products may include: Carbon oxides.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Highly flammable liquid and vapour.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Ethyl Lactate:Ethanol Tincture SDS Canada

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

US. ACGIH Threshold Lin Components	Type	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Alberta OELs (O Components	ccupational Health & Safety Code, Sche Type	dule 1, Table 2) Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3	
		1000 ppm	
Canada. British Columbia Safety Regulation 296/97		for Chemical Substances, Occupational Health and	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
	(Reg. 217/2006, The Workplace Safety A		
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Ontario OELs. (C Components	Control of Exposure to Biological or Che Type	emical Agents) Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Quebec OELs. (I	Ministry of Labor - Regulation respectinզ Type	g occupational health and safety) Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3	
, , , , , , , , , , , , , , , , , , , ,		1000 ppm	
Canada. Saskatchewan C Components	DELs (Occupational Health and Safety Ro Type	egulations, 1996, Table 21) Value	
Ethanol (CAS 64-17-5)	15 minute	1250 ppm	
,	8 hour	1000 ppm	
logical limit values	No biological exposure limits noted for	r the ingredient(s).	
	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommende exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
propriate engineering trols	Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits have	o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommend e not been established, maintain airborne levels to an	
propriate engineering trols	Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits have	o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommend e not been established, maintain airborne levels to an ation and safety shower.	
propriate engineering trols	Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits have acceptable level. Provide eyewash states, such as personal protective equipments.	o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommend e not been established, maintain airborne levels to an ation and safety shower.	
propriate engineering trols vidual protection measure	Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits have acceptable level. Provide eyewash states, such as personal protective equipmed Wear safety glasses with side shields	o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommend e not been established, maintain airborne levels to an ation and safety shower. ent (or goggles). Chemical goggles are recommended.	
propriate engineering trols vidual protection measure Eye/face protection	Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits have acceptable level. Provide eyewash states, such as personal protective equipmed Wear safety glasses with side shields. Wear appropriate chemical resistant greaters.	o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommend e not been established, maintain airborne levels to an ation and safety shower.	

SDS Canada Ethyl Lactate: Ethanol Tincture

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid. **Physical state Form** Liquid. Colour Colourless. Odour Alcoholic. Not available. **Odour threshold** Not available. pН

Melting point/freezing point -100 °C (-148 °F) estimated

Initial boiling point and boiling

range

Flash point

78.3 - 100 °C (172.94 - 212 °F) estimated

16 °C (60.8 °F) Closed cup

Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - upper

Explosive limit - lower (%)

3.3 % (for Ethanol) 19 % (for Ethanol)

(%)

44 mmHg (for Ethanol) (20 °C (68 °F)) Vapour pressure

Vapour density Not available. Relative density 0.85 - 0.86520 °C (68 °F) Relative density temperature

Solubility(ies)

Complete Solubility (water)

Partition coefficient 0.032 estimated

(n-octanol/water)

370 °C (698 °F) estimated **Auto-ignition temperature**

Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

1.35 cP (20 °C (68 °F)) **Dynamic viscosity**

Not explosive. **Explosive properties** Oxidising properties Not oxidising. Percent volatile 100 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the Conditions to avoid

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition No hazardous decomposition products are known.

products

Ethyl Lactate: Ethanol Tincture SDS Canada

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin contact

Eve contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

Information on toxicological effects

Not known. **Acute toxicity**

Test Results Components **Species**

Ethanol (CAS 64-17-5)

Acute

Inhalation

Vapour

Rat LC50 117 - 125 mg/l, 4 Hours

Oral

LD50 Rat 10470 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

This product is not expected to cause skin sensitisation. Skin sensitisation

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

Ethanol (CAS 64-17-5) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Ethanol (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species **Test Results** Ethanol (CAS 64-17-5) **Aquatic** Acute EC10 Algae Freshwater algae 11.5 mg/l, 72 hours EC50 Freshwater algae 275 mg/l, 72 hours Marine water algae 1900 mg/l

Ethyl Lactate: Ethanol Tincture SDS Canada

Components		Species	Test Results	
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours	
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours	
		Marine water invertebrate	857 mg/l, 48 hours	
Other	EC50	Lemna minor	4432 mg/l, 7 days	
Chronic				
Algae	NOEC	Marine water algae	1580 mg/l	
Fish	NOEC	Freshwater fish	250 mg/l	
Invertebrate	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days	
		Marine water invertebrate	79 mg/l, 96 hours	
Other	NOEC	Lemna minor	280 mg/l, 7 days	
Other				
Acute				
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours	
Terrestrial				
Acute				
Plant	EC50	Terrestrial plant	633 mg/kg dw	

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential The product is not expected to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

Ethyl Lactate:Ethanol Tincture 0.032 Estimated

Mobility in soil Expected to be mobile in soil.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

UN number UN1987

UN proper shipping name ALCOHOLS, N.O.S. (Ethanol)

Transport hazard class(es)

Class 3
Subsidiary risk Packing group II
Environmental hazards No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN1987

UN proper shipping name Alcohols, n.o.s. (Ethanol)

Transport hazard class(es)

Class 3

Subsidiary risk -

Ethyl Lactate:Ethanol Tincture SDS Canada

Packing group II Environmental hazards No. ERG Code 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1987

UN proper shipping name ALCOHOLS, N.O.S. (Ethanol)

Not applicable.

Transport hazard class(es)

Class 3

Subsidiary risk
Packing group || ||

Environmental hazards

Marine pollutant No. EmS F-E, S-D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Ethyl Lactate: Ethanol Tincture SDS Canada

Country(s) or region Inventory name On inventory (yes/no)*

Taiwan Chemical Substance Inventory (TCSI)

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date01-November-2021Revision date20-December-2023

Version No. 02

Disclaimer

This product is subject to Greenfield Global Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-can/. The information in this SDS is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the material and not as a guarantee of the properties thereof. No warranty guarantee or representation is made to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy itself as to the suitability of such information for its own particular use. This information relates only to the specific product designated and may not be valid for such product used in combination with any other materials or in any process. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations applicable to the use, storage, or handling of the product. THE COMPANY MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, OR USAGE OF TRADE, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. Given the variety of factors that can affect the use and application of the product, which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to independently determine whether it is fit for a particular purpose, suitable, safe, and/or lawful for user's method of use or application.

Ethyl Lactate: Ethanol Tincture SDS Canada