

SAFETY DATA SHEET

1. Identification

Product identifier	SDAG-1, 95%
Other means of identification	
Synonyms	Denatured Ethanol, Ethyl alcohol denatured with methanol
Recommended use	General purpose solvent.
Recommended restrictions	Refer to the alcohol control authority in which the product is to be used - Canada Revenue Agency (Excise) in Canada, US Tax and Trade Bureau in the US, etc.
Manufacturer/Importer/Supplier/	Distributor information
Company name	Greenfield Global Inc.
Address	6985 Financial Drive

	Missisauga, Ontario L5N 0G3
	Canada
Telephone	(905) 790-7500
Website	http://www.greenfield.com
Emergency phone number	CANUTEC: (613) 996-6666

2. Hazard identification

Label elements

Physical hazards	Flammable liquids	Category 2
Health hazards	Serious eye damage/eye irritation Specific target organ toxicity following single exposure	Category 2 Category 1 (central nervous system, optic nerve)



Signal word	Danger
Hazard statement	Highly flammable liquid and vapour. Causes serious eye irritation. Causes damage to organs (central nervous system, optic nerve).
Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Do not breathe mist/vapours. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTRE/doctor. If eye irritation persists: Get medical advice/attention. In case of fire: Use water fog, alcohol-resistant foam, dry chemical powder, carbon dioxide to extinguish.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	88.2
Methanol		67-56-1	4.7
Composition comments	All concentrations are in percent by weight unl percent by volume. Components not listed are either non-hazardo		
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	s develop or persist.	
Skin contact	Take off immediately all contaminated clothing attention if irritation develops and persists.	. Rinse skin with water/showe	r. Get medical
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get		
Ingestion	Call a physician or poison control centre imme advice from poison control center. If vomiting of doesn't get into the lungs. Do not use mouth-to Induce artificial respiration with the aid of a poor proper respiratory medical device.	occurs, keep head low so that o-mouth method if victim inges	stomach content sted the substance.
Most important symptoms/effects, acute and	Narcosis. Headache. Behavioural changes. De Symptoms may include stinging, tearing, redne		
delayed	Methanol: Human exposure to methanol may r nerve damage and perhaps death, after being Death due to cardiac or respiratory failure has as little as 30 mls.	ingested, absorbed through th	ne skin or inhaled.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea immediately. While flushing, remove clothes w ambulance. Continue flushing during transport Symptoms may be delayed.	hich do not adhere to affected	l area. Call an
General information	Take off all contaminated clothing immediately label where possible). Ensure that medical per take precautions to protect themselves. Wash	sonnel are aware of the mate	rial(s) involved, and
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemica	al powder. Carbon dioxide (Co	D2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	s will spread the fire.	
Specific hazards arising from the chemical	Vapours may form explosive mixtures with air. source of ignition and flash back. During fire, g		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	otective clothing must be worr	in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe so without risk.	fumes. Move containers from	fire area if you can do
Specific methods	Use standard firefighting procedures and cons	ider the hazards of other invo	lved materials.
General fire hazards	Highly flammable liquid and vapour.		
6. Accidental release meas	sures		
Porsonal procautions	Keen unnecessary personnel away. Keen peo	nlo away from and upwind of	onill/look Eliminata al

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist/vapours. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits	
US. ACGIH Threshold Limit Values	

Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Methanol (CAS 67-56-1)	STEL	250 ppm	
	TWA	200 ppm	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3	
		1000 ppm	
Methanol (CAS 67-56-1)	STEL	328 mg/m3	
		250 ppm	
	TWA	262 mg/m3	
		200 ppm	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Methanol (CAS 67-56-1)	STEL	250 ppm	
	TWA	200 ppm	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Methanol (CAS 67-56-1)	STEL	250 ppm	
	TWA	200 ppm	

Components	тт	уре	emical Agents) Va	lue	
Ethanol (CAS 64-17-5)	S	STEL	10	00 ppm	
Methanol (CAS 67-56-1)	S	STEL	25	0 ppm	
	Т	WA	20	0 ppm	
Canada. Quebec OELs. (N Components	-	Regulation respectin ype		ealth and safety) lue	
Ethanol (CAS 64-17-5)	Т	WA	18	80 mg/m3	
			10	00 ppm	
Methanol (CAS 67-56-1)	S	STEL	32	8 mg/m3	
			25	0 ppm	
	т	WA	26	2 mg/m3	
) ppm	
Canada. Saskatchewan O Components		Health and Safety R ype	egulations, 1996		
Ethanol (CAS 64-17-5)	1	5 minute	12	50 ppm	
	8	8 hour	10	00 ppm	
Methanol (CAS 67-56-1)	1	5 minute		0 ppm	
	8	8 hour) ppm	
		D. C. S.	Specimen		
Components	Value	Determinant	Specimen	Sampling Time	
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	Sampling Time *	
Methanol (CAS 67-56-1) * - For sampling details, ple	15 mg/l	Methanol	•	Sampling Time *	
Methanol (CAS 67-56-1) * - For sampling details, ple posure guidelines	15 mg/l base see the source	Methanol	•	Sampling Time *	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56-	15 mg/l base see the source bit in designation 1)	Methanol document. Can t	•	*	
Methanol (CAS 67-56-1) * - For sampling details, ple posure guidelines Canada - Alberta OELs: S	15 mg/l base see the source kin designation 1) a OELs: Skin desig 1)	Methanol document. Can b gnation	Urine	gh the skin.	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56-	15 mg/l base see the source skin designation 1) a OELs: Skin desig 1) Skin designation 1)	Methanol document. Can b gnation Can b	Urine De absorbed throu	gh the skin. gh the skin.	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56-	15 mg/l base see the source with designation 1) a OELs: Skin design 1) 5 Skin designation 1) 5 Kin designation 1)	Methanol document. Can b gnation Can b Dang	Urine De absorbed throu De absorbed throu	gh the skin. gh the skin. osorption	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Ontario OELs: S Methanol (CAS 67-56-	15 mg/l tase see the source win designation 1) a OELs: Skin design 1) Skin designation 1) Skin designation 1) Skin designation 1)	Methanol document. Can b gnation Can b Dang Can b Can b	Urine be absorbed throu be absorbed throu er of cutaneous al	* gh the skin. gh the skin. bsorption gh the skin.	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Ontario OELs: S Methanol (CAS 67-56- Canada - Quebec OELs: S Methanol (CAS 67-56-	15 mg/l base see the source ikin designation 1) a OELs: Skin design 1) 5 Skin designation 1) 5 Skin designation 1) 5 Skin designation 1) 0 ELs: Skin designa	Methanol document. Can b gnation Can b Can b Can b Can b Can b Can b	Urine De absorbed throu De absorbed throu er of cutaneous al De absorbed throu	gh the skin. gh the skin. osorption gh the skin. gh the skin.	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Ontario OELs: S Methanol (CAS 67-56- Canada - Quebec OELs: S Methanol (CAS 67-56- Canada - Saskatchewan C Methanol (CAS 67-56- US ACGIH Threshold Lim Methanol (CAS 67-56-	15 mg/l ase see the source kin designation 1) a OELs: Skin designation 1) Skin designation 1) Skin designation 1) DELs: Skin designat 1) it Values: Skin designa 1)	Methanol document. pnation Can b Dang Can b Can b Can b Can b Can b Can b Can b Can b Can b	Urine De absorbed throu De absorbed throu er of cutaneous al De absorbed throu De absorbed throu De absorbed throu De absorbed throu	gh the skin. gh the skin. osorption gh the skin. gh the skin. gh the skin.	
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Quebec OELs: S Methanol (CAS 67-56- Canada - Saskatchewan C Methanol (CAS 67-56- Canada - Saskatchewan C Methanol (CAS 67-56- US ACGIH Threshold Lim	15 mg/l asse see the source kin designation 1) a OELs: Skin designation 1) Skin designation 1) Skin designation 1) DELs: Skin designat 1) it Values: Skin designa 1) Explosion-proof Ventilation rates exhaust ventilat exposure limits.	Methanol document. Can b gnation Can b Dang Can b Can b ignation Can b f general and local exists should be matched to tion, or other engineer	Urine De absorbed throu De absorbed throu	* gh the skin. gh the skin. bsorption gh the skin. gh the skin. gh the skin. bsorption Good general ventilation si plicable, use process encl intain airborne levels belo ished, maintain airborne levels	osures, local w recommend
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Ontario OELs: S Methanol (CAS 67-56- Canada - Quebec OELs: S Methanol (CAS 67-56- Canada - Saskatchewan C Methanol (CAS 67-56- US ACGIH Threshold Lim Methanol (CAS 67-56- US ACGIH Threshold Lim	15 mg/l hase see the source kin designation 1) a OELs: Skin designation 1) Skin designation 1) Skin designation 1) Skin designation 1) DELs: Skin designation 1) DELs: Skin designation 1) Explosion-proof Ventilation rates exhaust ventilat exposure limits. acceptable leve	Methanol document. Can b gnation Can b Dang Can b Can	Urine Urine be absorbed throu be absorbed throu er of cutaneous al be absorbed throu be absorbed throu be absorbed throu be absorbed throu er of cutaneous al naust ventilation. (to conditions. If ap ing controls to ma ve not been establ ation and safety s ent	* gh the skin. gh the skin. bsorption gh the skin. gh the skin. gh the skin. bsorption Good general ventilation si plicable, use process encl intain airborne levels belo ished, maintain airborne levels	osures, local w recommend
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Ontario OELs: S Methanol (CAS 67-56- Canada - Quebec OELs: S Methanol (CAS 67-56- Canada - Saskatchewan C Methanol (CAS 67-56- US ACGIH Threshold Lim Methanol (CAS 67-56- oropriate engineering trols vidual protection measure Eye/face protection Skin protection	15 mg/l ase see the source kin designation 1) a OELs: Skin designation 1) Skin designation 1) Skin designation 1) Skin designation 1) DELs: Skin designation 1) DELs: Skin designation 1) Explosion-proof Ventilation rates exhaust ventilat exposure limits. acceptable leve s, such as persona Wear safety gla	Methanol document. Can b pation Can b Dang Can b Can b	Urine Urine De absorbed throu De absorbed throu er of cutaneous al De absorbed throu De absorbed throu	* gh the skin. gh the skin. osorption gh the skin. gh the skin. gh the skin. Sood general ventilation si plicable, use process encl intain airborne levels belo ished, maintain airborne le hower.	osures, local w recommend evels to an
Methanol (CAS 67-56-1) * - For sampling details, ple osure guidelines Canada - Alberta OELs: S Methanol (CAS 67-56- Canada - British Columbia Methanol (CAS 67-56- Canada - Manitoba OELs: Methanol (CAS 67-56- Canada - Ontario OELs: S Methanol (CAS 67-56- Canada - Quebec OELs: S Methanol (CAS 67-56- Canada - Saskatchewan C Methanol (CAS 67-56- US ACGIH Threshold Lim Methanol (CAS 67-56- US ACGIH Threshold Lim Methanol (CAS 67-56- US ACGIH Threshold Lim Methanol (CAS 67-56- Dropriate engineering trols	15 mg/l asse see the source kin designation 1) a OELs: Skin designation 1) Skin designation 1) Skin designation 1) Skin designation 1) DELs: Skin designation 1) DELs: Skin designation 1) Explosion-proof Ventilation rates exhaust ventilat exposure limits. acceptable leve s, such as persona Wear safety gla Wear appropria supplier. Be aw	Methanol document. Can b gnation Can b Dang Can b Can	Urine De absorbed throu De absorbed throu er of cutaneous al De absorbed throu De ab	* gh the skin. gh the skin. bsorption gh the skin. gh the skin. gh the skin. bsorption Good general ventilation si plicable, use process encl intain airborne levels belo ished, maintain airborne levels	osures, local w recommend evels to an ed by the glov advisable.

Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with organic vapour cartridge and full facepiece. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

, ,	•
Appearance	
Physical state	Liquid.
Form	Liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	-115 °C (-175 °F) (Approximate)
Initial boiling point and boiling range	76.8 - 78.1 °C (170.24 - 172.58 °F)
Flash point	16 °C (60.8 °F) Tag closed cup (ASTM D 56)
Evaporation rate	1.7 (Butyl Acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	44 mm Hg (Ethanol) (20 °C (68 °F))
Vapour density	1.56 (Air = 1)
Relative density temperature	20 °C (68 °F)
Solubility(ies)	
Solubility (water)	Complete
Partition coefficient (n-octanol/water)	0.032 (Approximate)
Auto-ignition temperature	370 °C (698 °F) (Approximate)
Decomposition temperature	Not available.
Viscosity	1.35 cP (Approximate)
Viscosity temperature	20 °C (68 °F)
Other information	
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Percent volatile	100 % v/v
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.

11. Toxicological information

Inhalation	May cause damage to organs by inhalation. Prolonged inhalation may be harmful.	
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.	
Eye contact	Causes serious eye irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Narcosis. Headache. Behavioural changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Methanol: Human exposure to methanol may result in illness, systemic poisoning, blindness, optic nerve damage and perhaps death, after being ingested, absorbed through the skin or inhaled. Death due to cardiac or respiratory failure has been reported in some cases from consumption of as little as 30 mls.	

Information on toxicological effects

Acute toxicity

Components	Species		Test Results	
Ethanol (CAS 64-17-5)				
Acute				
Inhalation				
Vapour				
LC50	Rat		117 - 125 mg/l, 4 Hours	
Oral				
LD50	Rat		10470 mg/kg	
Skin corrosion/irritation	Prolonged s	skin contact may cause temporar	y irritation.	
Serious eye damage/eye irritation	Causes ser	ious eye irritation.		
Respiratory or skin sensitisatio	on			
Respiratory sensitisation	Not a respir	atory sensitiser.		
Skin sensitisation	This produc	t is not expected to cause skin s	ensitisation.	
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity				
Canada - Manitoba OELs: d	arcinogenicit	у		
Ethanol (CAS 64-17-5)	-	Confirmed a	nimal carcinogen with unknown relevance to human	
Reproductive toxicity	Possible rep	productive hazard.		
Specific target organ toxicity - single exposure	Causes dar	nage to organs (central nervous	system, optic nerve).	
Specific target organ toxicity - repeated exposure	Not classifie	ed.		
Aspiration hazard	Not an aspi	ration hazard.		
Chronic effects	Prolonged i	Prolonged inhalation may be harmful.		
12. Ecological information	n			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Components		Species	Test Results	
Ethanol (CAS 64-17-5)				
Aquatic				
Acute				
Algae	EC10	Freshwater algae	11.5 mg/l, 72 hours	

Freshwater algae

EC50

275 mg/l, 72 hours

Components		Species	Test Results	
		Marine water algae	1900 mg/l	
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours	
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours	
		Marine water invertebrate	857 mg/l, 48 hours	
Other	EC50	Lemna minor	4432 mg/l, 7 days	
Chronic				
Algae	NOEC	Marine water algae	1580 mg/l	
Fish	NOEC	Freshwater fish	250 mg/l	
Invertebrate	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days	
		Marine water invertebrate	79 mg/l, 96 hours	
Other	NOEC	Lemna minor	280 mg/l, 7 days	
Other				
Acute				
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours	
Terrestrial				
Acute				
Plant	EC50	Terrestrial plant	633 mg/kg dw	
Methanol (CAS 67-56-1)				
Aquatic				
<i>Acute</i> Crustacea	EC50	Daphnia magna	> 10000 mg/l, 48 hours	
Fish	LC50			
		Bluegill (Lepomis macrochirus)	15400 mg/l, 96 hours	
sistence and degradability	Expected	to be readily biodegradable.		
accumulative potential				
Partition coefficient n-octa SDAG-1, 95%	anol / water (l	og Kow) 0.032, (Approximate)	
Methanol (CAS 67-56-1)		-0.77	7	
bility in soil	Expected	Expected to be highly mobile in soil.		
er adverse effects	The produ potential.	The product contains volatile organic compounds which have a photochemical ozone creation potential.		
. Disposal consideration	ons			
posal instructions		d reclaim or dispose in sealed containers container in accordance with local/regional	at licensed waste disposal site. Dispose of /national/international regulations.	
al disposal regulations	Dispose ir	accordance with all applicable regulation	S.	
zardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
ste from residues / unused ducts	product re	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or **Contaminated packaging** disposal.

14. Transport information

TDG	
UN number	UN1986
UN proper shipping name	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Ethanol, Methanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	6.1
Packing group	П
Environmental hazards	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

SDAG-1, 95%

IATA

UN number	UN1986
UN proper shipping name	Alcohols, flammable, toxic, n.o.s. (Ethanol, Methanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	6.1
Packing group	П
Environmental hazards	No.
ERG Code	3HP
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN1986
UN proper shipping name	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (Ethanol, Methanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	6.1
Packing group	П
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	This substance/mixture is not intended to be transported in bulk.
Annex II of MARPOL 73/78 and	
the IBC Code	

15. Regulatory information

Canadian regulations	This product has been classified in accordance with the hazard criteria of contains all the information required by the HPR.	the HPR and the SDS
Controlled Drugs and Substa	ances Act	
Not regulated.		
Export Control List (CEPA 19	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
	oxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)	
Methanol (CAS 67-56-1) Precursor Control Regulation		
Not regulated.	15	
International regulations		
Stockholm Convention		
Not applicable.		
Rotterdam Convention		
Not applicable.		
Kyoto Protocol		
Not applicable.		
Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	24-May-2021
Revision date	-
Version No.	01
Disclaimer	Greenfield Global Commercial Alcohols cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.