

SAFETY DATA SHEET

1. Identification

Product identifier	TRIETHYL CITRATE / ETHANOL TINCTURE
Other means of identification	
Synonyms	Triethyl citrate blender * Triethyl citrate extract * Triethyl citrate flavor base * Triethyl citrate concentrate * Triethyl citrate spirits
Recommended use	Flavoring agent.
Recommended restrictions	Refer to the alcohol control authority in which the product is to be used - Canada Revenue Agency (Excise) in Canada, US Tax and Trade Bureau in the US, etc.
Manufacturer/Importer/Supplier/	Distributor information
Company name	Greenfield Global Inc.
Address	6985 Financial Drive
	Missisauga, Ontario L5N 0G3
	Canada
Telephone	(905) 790-7500
Website	http://www.greenfield.com
Emergency phone number	CHEMTREC: 1-800-424-9300

2. Hazard identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Serious eye damage/eye irritation	Category 2
Label elements		
Signal word	Danger	
Hazard statement	Highly flammable liquid and vapour. Causes se effects to aquatic life.	erious eye irritation. May cause long lasting harmful
Precautionary statement		
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.	
_		

Precautionary statement	
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information	None.
Other hazards	None known.
3. Composition/informat	tion on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	89 - < 91
Water		7732-18-5	7 - < 8

Chemical name	CAS number	%
Triethyl citrate	77-93-0	2 - < 3

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

_

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Combustion products may include: Carbon oxides.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapour.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

and place into a container for later disposal. Following product recovery, flush area with water.

Environmental precautions Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling
Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities
Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Components	nit Values Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada. Alberta OELs (O	ccupational Health & Safety Code, Sche	dule 1, Table 2)
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm
Canada. British Columbia Safety Regulation 296/97,		for Chemical Substances, Occupational Health and
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada. Manitoba OELs ((Reg. 217/2006, The Workplace Safety A	nd Health Act)
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada. Ontario OELs. (C	Control of Exposure to Biological or Che	emical Agents)
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada. Quebec OELs. (N	Ministry of Labor - Regulation respecting	g occupational health and safety)
Components	Туре	Value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm
Canada. Saskatchewan O Components	ELs (Occupational Health and Safety Ro Type	egulations, 1996, Table 21) Value
	15 minute	1250 ppm
Ethanol (CAS 64-17-5)		
Ethanol (CAS 64-17-5)	8 hour	1000 ppm
Ethanol (CAS 64-17-5)	8 hour No biological exposure limits noted for	
	No biological exposure limits noted for Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri	r the ingredient(s). aust ventilation. Good general ventilation should be used. o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an
logical limit values propriate engineering htrols	No biological exposure limits noted for Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash sta	r the ingredient(s). aust ventilation. Good general ventilation should be used. o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.
logical limit values propriate engineering htrols	No biological exposure limits noted for Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash sta	r the ingredient(s). aust ventilation. Good general ventilation should be used. o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.
logical limit values propriate engineering ntrols ividual protection measure Eye/face protection Skin protection	No biological exposure limits noted for Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash sta es, such as personal protective equipme Wear safety glasses with side shields	r the ingredient(s). aust ventilation. Good general ventilation should be used. b conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower. ent (or goggles). Wear chemical goggles and face shield.
logical limit values propriate engineering htrols ividual protection measure Eye/face protection	No biological exposure limits noted for Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash sta es, such as personal protective equipme Wear safety glasses with side shields Wear appropriate chemical resistant g	r the ingredient(s). aust ventilation. Good general ventilation should be used. o conditions. If applicable, use process enclosures, local ng controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.

Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with organic vapour cartridge and full facepiece. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

•	-
Appearance	
Physical state	Liquid.
Form	Liquid.
Colour	Colourless to slightly yellow.
Odour	Alcoholic odor.
рН	Not applicable
Melting point/freezing point	-100 °C (-148 °F) estimated
Initial boiling point and boiling range	78 - 100 °C (172.4 - 212 °F) estimated
Flash point	16 °C (60.8 °F) Closed cup (ASTM D-56)
Evaporation rate	1.7 (Butyl acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	5.87 kPa (20 °C (68 °F))
Vapour density	1.59 (air=1.0)
Relative density	0.85 - 0.865 (20 °C (68 °F))
Solubility(ies)	
Solubility (water)	Complete
Partition coefficient (n-octanol/water)	0.032 estimated
Auto-ignition temperature	422 °C (791.6 °F) estimated
Decomposition temperature	Not available.
Viscosity	1.35 cP (20 °C (68 °F))
Other information	
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

Information on toxicological effects

Acute toxicity

Acute toxicity				
Components	Species	Test Results		
Ethanol (CAS 64-17-5)				
Acute				
Inhalation				
Vapour	_			
LC50	Rat	117 - 125 mg/l, 4 Hours		
Oral	-			
LD50	Rat	10470 mg/kg		
Skin corrosion/irritation	Prolonged skin contact may	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation			
Respiratory or skin sensitisatio	n			
Respiratory sensitisation	Not a respiratory sensitiser.	Not a respiratory sensitiser.		
Skin sensitisation	This product is not expected	This product is not expected to cause skin sensitisation.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity				
ACGIH Carcinogens				
Ethanol (CAS 64-17-5)	A3 Confirmed animal carcinogen with unknown relevance to humans.			
Canada - Manitoba OELs: o	arcinogenicity			
Ethanol (CAS 64-17-5)		Confirmed animal carcinogen with unknown relevance to humans.		
Reproductive toxicity	This product is not expected	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be	harmful.		
12 Ecological information	n			

12. Ecological information

Ecotoxicity	May cause long lasting harmful effects to aquatic life.		
Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Aquatic			
Acute			
Algae	EC10	Freshwater algae	11.5 mg/l, 72 hours
	EC50	Freshwater algae	275 mg/l, 72 hours
		Marine water algae	1900 mg/l
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours

Components		Species	Test Results	
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours	
		Marine water invertebrate	857 mg/l, 48 hours	
Other	EC50	Lemna minor	4432 mg/l, 7 days	
Chronic				
Algae	NOEC	Marine water algae	1580 mg/l	
Fish	NOEC	Freshwater fish	250 mg/l	
Invertebrate	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days	
		Marine water invertebrate	79 mg/l, 96 hours	
Other	NOEC	Lemna minor	280 mg/l, 7 days	
Other				
Acute				
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours	
Terrestrial				
Acute				
Plant	EC50	Terrestrial plant	633 mg/kg dw	
Persistence and degradability	The product is expected to be biodegradable.			
Bioaccumulative potential	The product is not expected to bioaccumulate.			
Partition coefficient n-octa TRIETHYL CITRATE / ETH/	•	•		
lobility in soil	Expected to be mobile in soil.			
Other adverse effects	The product contains a volatile organic compound which has a photochemical ozone creation potential.			
13. Disposal consideration	ons			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
ocal disposal regulations.	Dispose in accordance with all applicable regulations.			
lazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Vaste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
4. Transport information	า			
DG				
UN number	UN1987			
UN proper shipping name				
Transport hazard class(es)				
Class	3			

-11

No.

3

-11

UN1987

Alcohols, n.o.s. (Ethanol)

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Subsidiary risk

Environmental hazards

UN proper shipping name

Subsidiary risk

Transport hazard class(es)

Packing group

UN number

Class

Packing group

ΙΑΤΑ

Environmental hazards	No.			
ERG Code	3L			
	Read safety instructions, SDS and emergency procedures before handling.			
IMDG				
UN number	UN1987			
UN proper shipping name Transport hazard class(es)	ALCOHOLS, N.O.S. (Ethanol)			
Class	3			
Subsidiary risk	-			
Packing group	II			
Environmental hazards				
Marine pollutant EmS	No. F-E, S-D			
_	r Read safety instructions, SDS and emergency procedures before handling.			
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	5		
15. Regulatory information	1			
Canadian regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.			
Controlled Drugs and Subst	ances Act			
Not regulated. Export Control List (CEPA 1	999, Schedule 3)			
Not listed.				
Greenhouse Gases Not listed.				
Precursor Control Regulation	ns			
Not regulated. International regulations				
Stockholm Convention				
Not applicable.				
Rotterdam Convention				
Not applicable. Kyoto Protocol				
Not applicable. Montreal Protocol				
Not applicable.				
Basel Convention				
Not applicable. International Inventories				
Country(s) or region Australia	Inventory name Australian Inventory of Industrial Chemicals (AICIS)	On inventory (yes/no)* Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)			
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL) Yes			
New Zealand	New Zealand Inventory Yes			
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes		

Country(s) or region

United States & Puerto Rico

Inventory name

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date Revision date Version No. Disclaimer 01-November-2021 19-December-2023

02

This product is subject to Greenfield Global Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-can/. The information in this SDS is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the material and not as a guarantee of the properties thereof. No warranty guarantee or representation is made to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy itself as to the suitability of such information for its own particular use. This information relates only to the specific product designated and may not be valid for such product used in combination with any other materials or in any process. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations applicable to the use, storage, or handling of the product. THE COMPANY MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, OR USAGE OF TRADE, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. Given the variety of factors that can affect the use and application of the product, which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to independently determine whether it is fit for a particular purpose, suitable, safe, and/or lawful for user's method of use or application.