



### 1. Identification

in administration			
Product identifier	Sodium Hydroxide 50%		
Other means of identification	None.		
Recommended use	General purpose solvent.		
Recommended restrictions	Use in accordance with manufacturer's recom	mendations.	
Manufacturer/Importer/Supplier/	Distributor information		
Company Name	Greenfield Global USA Inc.		
Address	1101 Isaac Shelby Drive		
	Shelbyville, KY 40065		
	USA		
Telephone	502.232.7600		
Fax	502.633.6100		
Company Name	Greenfield Global USA Inc.		
Address	58 Vale Road		
Address	Brookfield, CT 06804		
	USA		
Telephone	203.740.3471		
Fax	203.740.3481		
Emergency phone number			
USA	CHEMTREC: 1.800.424.9300 (CCN 17213)		
International	CHEMTREC: +1.703.527.3887 (CCN 17213)		
2. Hazard(s) identification			
Physical hazards	Corrosive to metals	Category 1	
Health hazards	Skin corrosion/irritation	Category 1	
	Serious eye damage/eye irritation	Category 1	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May be corrosive to metals. Causes severe sk irritation. Harmful to aquatic life.	in burns and eye damage. May cause respiratory	
Precautionary statement			
Prevention		e mist or vapor. Wash thoroughly after handling. Avoid release to the environment. Wear protective	

gloves/protective clothing/eye protection/face protection.

Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Absorb spillage to prevent material damage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

#### 3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Sodium hydroxide		1310-73-2	50
Composition comments	All concentrations are in percent by weight unle	ess otherwise indicated.	
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a center or doctor/physician if you feel unwell.	a position comfortable for bre	athing. Call a poison
Skin contact	Take off immediately all contaminated clothing poison control center immediately. Chemical be contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Call		
Ingestion	Call a physician or poison control center immer vomiting occurs, keep head low so that stomad		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damag tract burns. Symptoms may include stinging, te Permanent eye damage including blindness co	earing, redness, swelling, and	blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat immediately. While flushing, remove clothes whether an ambulance. Continue flushing during transport Symptoms may be delayed.	hich do not adhere to affected	d area. Call an
General information	If you feel unwell, seek medical advice (show the personnel are aware of the material(s) involved this safety data sheet to the doctor in attendary	d, and take precautions to pro	
5. Fire-fighting measures			
Suitable extinguishing media	The product is non-combustible. Use fire-exting materials.	guishing media appropriate fo	or surrounding
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be flammable gas. Combustion products include:		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	otective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so containers cool.	o without risk. Use water spra	y to keep fire-expos
Specific methods	Use standard firefighting procedures and consi	ider the hazards of other invo	lved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).	

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value	
Sodium Hydroxide 50%	PEL	2 mg/m3	
Components	Type Value		
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Lim Material	it Values Type	Value	
Sodium Hydroxide 50%	Ceiling	2 mg/m3	
Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide Material	to Chemical Hazards Type	Value	
Sodium Hydroxide 50%	Ceiling	2 mg/m3	
Components	Type Value		
Sodium hydroxide (CAS 1310-73-2)	Ceiling 2 mg/m3		
logical limit values	No biological exposure limits noted f	or the ingredient(s).	
propriate engineering htrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.		
	s, such as personal protective equipm		
Eye/face protection	Wear safety goggles and a face shie	ld.	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Nitrile, butyl rubber or neoprene gloves are recommended. Other suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.		
Skin protection			
Other	Wear appropriate chemical resistant	.1.0.1	

Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Grey to white. Water white liquid.
Odor	Not available.
Odor threshold	Not available.
рН	14
Melting point/freezing point	10.4 - 50 °F (-12 - 10 °C)
Initial boiling point and boiling range	221 - 284 °F (105 - 140 °C)
Flash point	Not combustible.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	> 24 hPa (68 °F (20 °C))
Vapor density	1.38
Relative density	1.515 g/ml (77 °F (25 °C))
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Molecular formula	H-Na-O
Molecular weight	40 g/mol
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents. May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Strong acids. Strong oxidizing agents. Oxidizing agents. Metals.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Information on likely routes of e	∍xposure			
Inhalation	May cause in	ritation to the respiratory system. Prolonge	d inhalation may be harmful.	
Skin contact	Causes seve	Causes severe skin burns.		
Eye contact	Causes serio	Causes serious eye damage.		
Ingestion	Causes diges	stive tract burns.		
Symptoms related to the physical, chemical and toxicological characteristics	tract burns. S	Burning pain and severe corrosive skin damage. Causes serious eye damage. Causes digestive tract burns. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.		
Information on toxicological eff	ects			
Acute toxicity	Not expected	to be acutely toxic.		
Skin corrosion/irritation	Causes seve	re skin burns.		
Serious eye damage/eye irritation	Causes serio	us eye damage.		
Respiratory or skin sensitization				
Respiratory sensitization	-	tory sensitizer.		
Skin sensitization	•	is not expected to cause skin sensitization		
Germ cell mutagenicity	mutagenic or	-	s present at greater than 0.1% are	
Carcinogenicity		ble as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of 0	Carcinogenicity		
Not listed. NTP Report on Carcinogens	\$			
Not listed.				
OSHA Specifically Regulate	ed Substances	(29 CFR 1910.1001-1053)		
Not regulated.				
Reproductive toxicity	This product	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause re	May cause respiratory irritation.		
Specific target organ toxicity - repeated exposure	Not classified	l.		
Aspiration hazard	Not an aspira	Not an aspiration hazard.		
Chronic effects	Prolonged inf	Prolonged inhalation may be harmful.		
12. Ecological information	n			
Ecotoxicity	Harmful to ac	nuatic life		
Product		Species	Test Results	
Sodium Hydroxide 50%				
Aquatic				
Acute				
Crustacea	EC50	Ceriodaphnia dubia	40.4 mg/l, 48 Hours	
Components		Species	Test Results	
Sodium hydroxide (CAS 1310 Aquatic	)-73-2)			
Acute				
Crustacea	EC50	Ceriodaphnia dubia	40.4 mg/l, 48 Hours	
Persistence and degradability	No data is av	ailable on the degradability of this product		
Bioaccumulative potential	No data available for this product.			
Mobility in soil	This product is miscible in water. Expected to be mobile in soil.			

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

DOT	
UN number	UN1824
UN proper shipping name	Sodium hydroxide solution (Sodium hydroxide RQ = 2000 LBS)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	II
Environmental hazards	
Marine pollutant	No.
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B2, IB2, N34, T7, TP2
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1824
UN proper shipping name	Sodium hydroxide solution
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	11
Environmental hazards	No.
ERG Code	8L
	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	This product is a liquid and when transported in bulk is covered under MARPOL 73/78 Annex II. This product is listed in the IBC Code. Ship type: 3 Pollution category: Y
15. Regulatory information	

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**US** federal regulations

TSCA Section 12(b) Exp	port Notification (40 CFR 707, Subpt. D)	
Not regulated.		
	bstance List (40 CFR 302.4)	
Sodium hydroxide (C SARA 304 Emergency r		
Not regulated. OSHA Specifically Regu	lated Substances (29 CFR 1910.1001-1053)	
Not regulated.		
Toxic Substances Control Act (TSCA)	This substance is on the TSCA 8(b) inventory and is designated "active".	
SARA 302 Extremely hazard	authorization Act of 1986 (SARA) Ious substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Corrosive to metal Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section Not regulated.	112(r) Accidental Release Prevention (40 CFR 68.130)	
Clean Water Act (CWA) Section 112(r) (40 CFR 68.130)	Hazardous substance	
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Total food additive Direct food additive GRAS food additive	
US state regulations		
US. Massachusetts RTK - Se	ubstance List	
Sodium hydroxide (CAS <sup>·</sup> US. New Jersey Worker and	1310-73-2) Community Right-to-Know Act	
Sodium hydroxide (CAS US. Pennsylvania Worker ar	1310-73-2) nd Community Right-to-Know Law	
Sodium hydroxide (CAS 7 US. Rhode Island RTK	1310-73-2)	
Sodium hydroxide (CAS	1310-73-2)	
	Vater and Toxic Enforcement Act of 1986 (Proposition 65): This material ny chemicals currently listed as carcinogens or reproductive toxins. For ww.P65Warnings.ca.gov.	
•	te Chemicals List. Safer Consumer Products Regulations (Cal. Code I	Regs, tit. 22, 69502.3,
Sodium hydroxide (C	AS 1310-73-2)	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Sodium Hydroxide 50%		SDS US

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	08-March-2019
Revision date	-
Version #	01
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 4
Disclaimer	This product is subject to Greenfield Global USA Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-us/. Greenfield cannot anticipate all conditions under which this information and this product, or the products of other manufacturers in combination with this product, may be used. The user is responsible for the proper and safe use, handling, storage and disposal of the product, and assumes liability for any loss, injury, damage or expense arising from any failure to do so. The data in this sheet is based on information and experience available at the time of writing.