



1. Identification

Product identifier	SIS Formula 902, 190 Proof	
Other means of identification	None.	
Recommended use	General purpose solvent.	
Recommended restrictions	Use in accordance with manufacturer's recom	mendations.
Manufacturer/Importer/Supplier/	Distributor information	
Company Name	Greenfield Global USA Inc.	
Address	1101 Isaac Shelby Drive	
	Shelbyville, KY 40065	
	USA	
Telephone	502.232.7600	
Fax	502.633.6100	
Company Name	Greenfield Global USA Inc.	
Address	58 Vale Road	
	Brookfield, CT 06804	
	USA	
Telephone	203.740.3471	
Fax	203.740.3481	
Emergency phone number		
USA	CHEMTREC: 1.800.424.9300 (CCN 17213)	
International	CHEMTREC: +1.703.527.3887 (CCN 17213)	
2. Hazard(s) identification		
Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage/eye irritation	Category 2
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 1 (central nervous system, optic nerve)
	N . (.)	

OSHA defined hazards

Label elements

Signal word Hazard statement

Highly flammable liquid and vapor. Harmful if swallowed. Causes serious eye irritation. Suspected of causing cancer. Causes damage to organs (central nervous system, optic nerve).

Precautionary statement Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Not classified.

Danger

Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name		CAS number	%
Ethyl alcohol		64-17-5	80.6 - 85.8
Methanol		67-56-1	13.3
2-Pentanone, 4-methyl-		108-10-1	0.9
Water		7732-18-5	0 - 5.2
Composition comments	All concentrations are in percent by weight unles	s otherwise indicated.	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms of	levelop or persist.	
Skin contact	Take off immediately all contaminated clothing. I attention if irritation develops and persists.	Rinse skin with water/sho	ower. Get medical
Eye contact	Immediately flush eyes with plenty of water for a present and easy to do. Continue rinsing. Get m		
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.		
Most important Narcosis. Headache. Behavioral changes. Decrease in motor functions. Severe eye i Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Cough delayed			
-	Methanol: Human exposure to methanol may result in illness, systemic poisoning, blir nerve damage and perhaps death, after being ingested, absorbed through the skin or Death due to cardiac or respiratory failure has been reported in some cases from con as little as 30 ml.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.		
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical	powder. Carbon dioxide	(CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Va of ignition and flash back. During fire, gases haz products may include: carbon oxides.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ective clothing must be w	orn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fuse without risk. Use water spray to keep fire-exp		om fire area if you can do

SIS Formula 902, 190 Proof

Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
• - • • • •	

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Pentanone, 4-methyl- (CAS 108-10-1)	PEL	410 mg/m3	
		100 ppm	
Ethyl alcohol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
Methanol (CAS 67-56-1)	PEL	260 mg/m3	
		200 ppm	
US. ACGIH Threshold Limit Values	;		
Components	Туре	Value	
2-Pentanone, 4-methyl- (CAS 108-10-1)	STEL	75 ppm	
	TWA	20 ppm	
Ethyl alcohol (CAS 64-17-5)	STEL	1000 ppm	
Methanol (CAS 67-56-1)	STEL	250 ppm	
	TWA	200 ppm	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	
2-Pentanone, 4-methyl- (CAS 108-10-1)	STEL	300 mg/m3	
		75 ppm	
	TWA	205 mg/m3	
		50 ppm	
Ethyl alcohol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
Methanol (CAS 67-56-1)	STEL	325 mg/m3	
		250 ppm	
	TWA	260 mg/m3	
		200 ppm	

Biological limit values

ACGIH Biological Exposu	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
2-Pentanone, 4-methyl- (CAS 108-10-1)	1 mg/l	Methyl isobutyl ketone	Urine	*
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*
* - For sampling details, ple	ease see the source	e document.		
xposure guidelines				
US - California OELs: Ski	n designation			
Methanol (CAS 67-56- US - Minnesota Haz Subs	,		absorbed throu	gh the skin.
Methanol (CAS 67-56- US - Tennessee OELs: SI	-1)		signation applie	S.
Methanol (CAS 67-56- US ACGIH Threshold Lim	,		absorbed throu	gh the skin.
Methanol (CAS 67-56- US. NIOSH: Pocket Guide	,		absorbed throu	gh the skin.
Methanol (CAS 67-56-	-1)	Can be	absorbed throu	gh the skin.
Appropriate engineering controls	applicable, use maintain airbo	e process enclosures, loc rne levels below recomm	al exhaust vent ended exposure	Ites should be matched to conditions. If ilation, or other engineering controls to e limits. If exposure limits have not been level. Provide eyewash station and safety
Individual protection measure	-		nt	
Eye/face protection	Chemical gog	gles are recommended.		
Skin protection				
Hand protection	recommended	Wear appropriate chemical resistant gloves. Nitrile, butyl rubber or neoprene gloves are recommended. Other suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.		
Skin protection				
Other	Wear appropri	ate chemical resistant clo	othing. Use of a	n impervious apron is recommended.
Respiratory protection	limits (where a been establish	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with organic vapor cartridge.		
Thermal hazards	Wear appropri	ate thermal protective clo	othing, when neo	cessary.
General hygiene considerations	and drink. Alw material and b	Observe any medical surveillance requirements. When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

9. Physical and chemical	higherines
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-173.2 °F (-114 °C)
Initial boiling point and boiling range	176 °F (80 °C)
Flash point	55.4 - 62.6 °F (13.0 - 17.0 °C) Closed Cup
Evaporation rate	3 (100% Ethyl alcohol)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	
Flammability limit - lower (%)	3.3 % v/v (100% Ethyl alcohol)
Flammability limit - upper (%)	19 % v/v (100% Ethyl alcohol)
Vapor pressure	41.6 mm Hg
Vapor density	1.6 (air = 1)
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	685.4 °F (363 °C) (100% Ethyl alcohol)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	6.7 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	,
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	tion

Information on likely routes of exposure

Inhalation	Causes damage to organs by inhalation. Prolonged inhalation may be harmful.
Skin contact	May be harmful in contact with skin. Prolonged skin contact may cause temporary irritation. May be absorbed through the skin.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Narcosis. Headache. Behavioral changes. Decrease in motor functions. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

Methanol: Human exposure to methanol may result in illness, systemic poisoning, blindness, optic nerve damage and perhaps death, after being ingested, absorbed through the skin or inhaled. Death due to cardiac or respiratory failure has been reported in some cases from consumption of as little as 30 ml.

Information on toxicological effects

Acute toxicity	Harmful if swallowed. May be harmful in a	contact with skin.		
Components	Species	Test Results		
2-Pentanone, 4-methyl- (CAS 108	3-10-1)			
Acute				
Dermal				
LD50	Rabbit	> 16000 mg/kg		
Oral				
LD50	Rat	3200 mg/kg		
Ethyl alcohol (CAS 64-17-5)				
<u>Acute</u>				
Inhalation				
Vapor	Det			
LC50	Rat	117 - 125 mg/l, 4 Hours		
Oral	5.4	40470 #		
LD50	Rat	10470 mg/kg		
Water (CAS 7732-18-5)				
<u>Acute</u>				
Oral	Det			
LD50	Rat	> 89800 mg/kg		
Skin corrosion/irritation	Prolonged skin contact may cause tempo	prary irritation.		
Serious eye damage/eye rritation	Causes serious eye irritation.			
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause ski	n sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Suspected of causing cancer.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
2-Pentanone, 4-methyl- NTP Report on Carcinogen	. ,	oly carcinogenic to humans.		
Not listed. OSHA Specifically Regulat	ed Substances (29 CFR 1910.1001-1053)			
Not regulated.				
Reproductive toxicity		This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Causes damage to organs (central nervous system, optic nerve).			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful. Pro	plonged exposure may cause chronic effects.		
12. Ecological informatio	n			
Ecotoxicity		entally hazardous. However, this does not exclude the have a harmful or damaging effect on the environment		

Components		Species	Test Results	
2-Pentanone, 4-methyl- (CAS	S 108-10-1)			
Aquatic				
Acute				
Crustacea	EC50	Water flea (Daphnia magna)	3682 mg/l, 24 hours	
Fish	LC50	Pimephales promelas	505 mg/l, 96 Hours	
Chronic		Denhais means		
Crustacea	EC50	Daphnia magna	78 mg/l, 21 days	
Fish	NOEC	Pimephales promelas	57 mg/l, 31 days	
Ethyl alcohol (CAS 64-17-5) Aquatic				
Algae	EC10	Freshwater algae	11.5 mg/l, 72 hours	
/ ligue	EC50	Freshwater algae	275 mg/l, 72 hours	
	LOUU	Marine water algae	1900 mg/l	
	NOEC	Marine water algae	1580 mg/l	
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours	
F1511				
las contra la matra	NOEC	Freshwater fish	250 mg/l	
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours	
	NOFO	Marine water invertebrate	857 mg/l, 48 hours	
	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days	
0.11		Marine water invertebrate	79 mg/l, 96 hours	
Other	EC50	Lemna minor	4432 mg/l, 7 days	
	NOEC	Lemna minor	280 mg/l, 7 days	
Other	1.050		5000 # 41	
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours	
Terrestrial	5050	Townshiel alout		
Plant	EC50	Terrestrial plant	633 mg/kg dw	
Methanol (CAS 67-56-1)				
Aquatic Acute				
Crustacea	EC50	Daphnia magna	> 10000 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	15400 mg/l, 96 hours	
sistence and degradability	No data is a	vailable on the degradability of this prod	-	
accumulative potential		ilable for this product.		
Partition coefficient n-octa				
2-Pentanone, 4-methyl- (CAS		1.31		
Methanol (CAS 67-56-1)		-0.77		
bility in soil	•	The product is soluble in water.		
er adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
Disposal consideratio	ns			
posal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Dispose of contents/container in accordance with local/regional/national/international regulations.			
al disposal regulations	Dispose in a	accordance with all applicable regulation	S.	
ardous waste code	The waste of disposal cor		etween the user, the producer and the waste	
ste from residues / unused	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT		
UN number	UN1987	
UN proper shipping name	Alcohols, n.o.s. (Ethyl alcohol; Methanol RQ = 37594 LBS)	
Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
Label(s)	3	
Packing group	II	
Environmental hazards		
Marine pollutant	No.	
	 Read safety instructions, SDS and emergency procedures before handling. 	
Special provisions	172, IB2, T7, TP1, TP8, TP28	
Packaging exceptions	4b, 150	
Packaging non bulk	202	
Packaging bulk	242	
ΙΑΤΑ		
UN number	UN1987	
UN proper shipping name	Alcohols, n.o.s. (Ethyl alcohol; Methanol)	
Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
Packing group		
Environmental hazards ERG Code	No. 3L	
	r Read safety instructions, SDS and emergency procedures before handling.	
IMDG	r read safety instructions, obo and emergency procedures before nanding.	
UN number	UN1987	
UN proper shipping name	ALCOHOLS, N.O.S. (Ethyl alcohol; Methanol)	
Transport hazard class(es)		
Class	3	
Subsidiary risk	-	
Packing group	II	
Environmental hazards		
Marine pollutant	No.	
EmS	F-E, S-D	
Special precautions for use	 Read safety instructions, SDS and emergency procedures before handling. 	
Transport in bulk according to	Not applicable.	
Annex II of MARPOL 73/78 and		
the IBC Code		
15. Regulatory information	n	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Exi	port Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Su	bstance List (40 CFR 302.4)	
2-Pentanone, 4-metl Methanol (CAS 67-5		
SARA 304 Emergency release notification		
Not regulated.		
OSHA Specifically Reg	ulated Substances (29 CFR 1910.1001-1053)	
Not regulated.		
Toxic Substances Control Act (TSCA)	All components of the mixture on the TSCA 8(b) inventory are designated "active".	

Superfund Amendments and Re SARA 302 Extremely hazard		SARA)	
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Serious eye damage or eye irritation Carcinogenicity Specific target organ toxicity (single or repeated exposure)		
SARA 313 (TRI reporting) Chemical name		AS number	% by wt.
2-Pentanone, 4-methyl- Methanol		108-10-1 67-56-1	0.9 13.3
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air Polluta	ants (HAPs) List	
2-Pentanone, 4-methyl- (Methanol (CAS 67-56-1)			
Clean Air Act (CAA) Section Not regulated.	n 112(r) Accidental Release	Prevention (40 Cl	FR 68.130)
Safe Drinking Water Act (SDWA)	Contains component(s) reg	gulated under the S	afe Drinking Water Act.
Drug Enforcement Adm Chemical Code Numbe		ssential Chemical	s (21 CFR 1310.02(b) and 1310.04(f)(2) and
2-Pentanone, 4-met Drug Enforcement Adm		6715 2 Exempt Chemica	al Mixtures (21 CFR 1310.12(c))
2-Pentanone, 4-met DEA Exempt Chemical	hyl- (CAS 108-10-1) Mixtures Code Number	35 %WV	
2-Pentanone, 4-met	hyl- (CAS 108-10-1)	6715	
-		Safety in the Flav	or Manufacturing Workplace
2-Pentanone, 4-met Ethyl alcohol (CAS 6		Low priority Low priority	
US state regulations			
US. Massachusetts RTK - S			
2-Pentanone, 4-methyl- (Ethyl alcohol (CAS 64-17 Methanol (CAS 67-56-1) US. New Jersey Worker and	7-5)	w Act	
2-Pentanone, 4-methyl- (Ethyl alcohol (CAS 64-17	(CAS 108-10-1)		
Methanol (CAS 67-56-1)			
US. Pennsylvania Worker a		ow Law	
2-Pentanone, 4-methyl- (Ethyl alcohol (CAS 64-17 Methanol (CAS 67-56-1)	7-5)		
US. Rhode Island RTK			
2-Pentanone, 4-methyl- (Ethyl alcohol (CAS 64-17 Methanol (CAS 67-56-1)	7-5)		
California Proposition 65			
St		ncer and birth defect	ng 2-Pentanone, 4-methyl-, which is known to the ts or other reproductive harm. For more
	65 - CRT: Listed date/Carci		e
2-Pentanone, 4-met		Listed: Noven	
2-Pentanone, 4-met Methanol (CAS 67-5	hyl- (CAS 108-10-1)	Listed: March Listed: March	

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

2-Pentanone, 4-methyl- (CAS 108-10-1) Methanol (CAS 67-56-1)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Voe" indicatos this product (complies with the inventory requirements administered by the appendix country(s)	

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	15-February-2019
Revision date	-
Version #	01
HMIS® ratings	Health: 4* Flammability: 3 Physical hazard: 0
Disclaimer	This product is subject to Greenfield Global USA Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-us/. Greenfield cannot anticipate all conditions under which this information and this product, or the products of other manufacturers in combination with this product, may be used. The user is responsible for the proper and safe use, handling, storage and disposal of the product, and assumes liability for any loss, injury, damage or expense arising from any failure to do so. The data in this sheet is based on information and experience available at the time of writing.