

# **SAFETY DATA SHEET**

## 1. Identification

in adminibution		
Product identifier	Ethyl Alcohol 17.5% (35 Proof)	
Other means of identification		
Synonyms	Ethyl Alcohol 14-18% ; Ethanol	
Recommended use	General purpose solvent.	
<b>Recommended restrictions</b>	Use in accordance with manufacturer's reco	ommendations.
Manufacturer/Importer/Supplier	/Distributor information	
Company Name	Greenfield Global USA Inc.	
Address	58 Vale Road	
	Brookfield, CT 06804	
	USA	
Telephone	203.740.3471	
Fax	203.740.3481	
Company Name	Greenfield Global USA Inc.	
Address	1101 Isaac Shelby Drive	
	Shelbyville, KY 40065	
	USA	
Telephone	502.232.7600	
Fax	502.633.6100	
Emergency phone number		
USA	CHEMTREC: 1.800.424.9300 (CCN 17213	3)
International	CHEMTREC: +1.703.527.3887 (CCN 1721	3)
2. Hazard(s) identification		
Physical hazards	Flammable liquids	Category 3
Health hazards	Serious eye damage/eye irritation	Category 2
OSHA defined hazards	Not classified.	
Label elements	<b>A A</b>	
	$\forall \vee$	
Signal word	Warning	
Hazard statement	Flammable liquid and vapor. Causes seriou	is eye irritation.
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.	
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:	

Use appropriate media to extinguish. Store in a well-ventilated place. Keep cool.

Storage Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Supplemental information

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Ethyl Alcohol	64-17-5	14 - 20
Other components below reportable levels		80 - 86

All concentrations are in percent by weight unless otherwise indicated.

#### 4. First-aid measures

4. Filst-alu illeasules	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

### 6. Accidental release measures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all Personal precautions, ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and protective equipment and clothing during clean-up. Do not touch damaged containers or spilled emergency procedures material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
9 Experies controls/pore	anal protection

## 8. Exposure controls/personal protection

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to Chem	ical Hazards		
Components	Туре	Value	
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
logical limit values No bi	ological exposure limits noted	for the ingredient(s)	

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
Individual protection measure	es, such as personal protective equipment
Eye/face protection	Chemical goggles are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Other suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.
Skin protection	
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Clear liquid; invisible vapor.
Odor	Sweet. Alcohol-like.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	> 19.4 - < 21.2 °F (> -7 - < -6 °C)
Initial boiling point and boiling range	> 188.6 - < 194 °F (> 87 - < 90 °C)
Flash point	> 104 - < 114.8 °F (> 40 - < 46 °C) closed cup
Evaporation rate	Expected to be rapid.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	3.3 % (for 100% Ethanol)
Explosive limit - upper (%)	19 % (for 100% Ethanol)
Vapor pressure	59.5 hPa (for 100% Ethanol) (68 °F (20 °C))
Vapor density	1.6
Relative density	> 0.972 - < 0.977 g/ml (77 °F (25 °C))
Solubility(ies)	
Solubility (water)	Completely soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Molecular formula	C2H60 (Ethanol) H2O (Water)
Molecular weight	46.07 g/mol (Ethanol) 18.02 g/mol (Water)
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	tion

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause temporary irritation.

Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

## toxicological characteristics

## Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
Ethyl Alcohol (CAS 64-17-5)			
<u>Acute</u>			
Inhalation			
Vapor	Rat		
LC50	Rat	117 - 125 mg/l, 4 Hours	
<b>Oral</b> LD50	Rat	10470 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cau	ise temporary irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinoge	nicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed.			
NTP Report on Carcinogen	S		
Not listed.	ed Substances (29 CFR 1910.100	11-1053)	
Not listed.	ed Substances (29 CFK 1910.100	J-1033)	
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12 Ecological information	2		

## 12. Ecological information

## Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Ethyl Alcohol (CAS 64-	17-5)		
Aquatic			
Algae	EC10	Freshwater algae	11.5 mg/l, 72 hours
	EC50	Freshwater algae	275 mg/l, 72 hours
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours
	NOEC	Freshwater fish	250 mg/l
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours
		Marine water invertebrate	857 mg/l, 48 hours
	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days

Components		Species	Test Results	
		Marine water invertebrate	79 mg/l, 96 hours	
Other	EC50	Lemna minor	4432 mg/l, 7 days	
	NOEC	Lemna minor	280 mg/l, 7 days	
Other				
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours	
Terrestrial				
Plant	EC50	Terrestrial plant	633 mg/kg dw Terrestrial, plants	
Persistence and degradability	No data is ava	No data is available on the degradability of any ingredients in the mixture.		
<b>Bioaccumulative potential</b>	No data availa	No data available.		
Partition coefficient n-octanol / water (log Kow) Ethyl Alcohol (CAS 64-17-5) -0.35				
Mobility in soil	This product is	This product is miscible in water.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideratio	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in acc	Dispose in accordance with all applicable regulations.		
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			

## 14. Transport information

DOT	
UN number	UN1170
UN proper shipping name	Ethanol solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Environmental hazards	
Marine pollutant	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	24, B1, IB3, T2, TP1
Packaging exceptions	4b, 150
Packaging non bulk	203
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1170
UN proper shipping name	Ethanol solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG				
UN number	UN1170			
UN proper shipping name	ETHANOL SOLUTION			
Transport hazard class(es)				
Class	3			
Subsidiary risk	-			
Packing group	III			
Environmental hazards				
Marine pollutant	No.			
EmS	F-E, S-D			
	Read safety instructions, SDS and emergency procedures before handling.			
Transport in bulk according to	Not established.			
Annex II of MARPOL 73/78 and				
the IBC Code				
15. Regulatory information				
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication			
C C	Standard, 29 CFR 1910.1200.			
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)			
Not regulated.				
CERCLA Hazardous Sub	ostance List (40 CFR 302.4)			
Not listed.				
SARA 304 Emergency re	elease notification			
Not regulated.				
OSHA Specifically Regu	lated Substances (29 CFR 1910.1001-1053)			
Not listed.				
Toxic Substances Control A	ct (TSCA) All components of the mixture on the TSCA 8(b) inventory are designated			
	"active".			
Superfund Amendments and Rea	authorization Act of 1986 (SARA)			
SARA 302 Extremely hazard				
Not listed.				
SARA 311/312 Hazardous	Yes			
chemical				
Classified hazard	Flammable (gases, aerosols, liquids, or solids)			
categories	Serious eye damage or eye irritation			
SARA 313 (TRI reporting)				
Not regulated.				
-				
Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List			
Not regulated.				
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)			
Not regulated.				
Safe Drinking Water Act	Not regulated.			
(SDWA)				
FEMA Priority Substanc	es Respiratory Health and Safety in the Flavor Manufacturing Workplace			
Ethyl Alcohol (CAS 64	4-17-5) Low priority			
US state regulations				
US. Massachusetts RTK - Su	ibstance List			
	Ethyl Alcohol (CAS 64-17-5) US. New Jersey Worker and Community Right-to-Know Act			
Ethyl Alcohol (CAS 64-17-				
	d Community Right-to-Know Law			
Ethyl Alcohol (CAS 64-17-				
US. Rhode Island RTK				
Ethyl Alcohol (CAS 64-17-5)				
	,			

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	10-March-2023
Revision date	-
Version #	01
HMIS® ratings	Health: 2 Flammability: 2 Physical hazard: 0 Personal protection: B
Disclaimer	This product is subject to Greenfield Global USA Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-us/. Greenfield cannot anticipate all conditions under which this information and this product, or the products of other manufacturers in combination with this product, may be used. The user is responsible for the proper and safe use, handling, storage and disposal of the product, and assumes liability for any loss, injury, damage or expense arising from any failure to do so. The data in this sheet is based on information and experience available at the time of writing.