


# SAFETY DATA SHEET

### 1. Identification

Product identifier	SDA 2B-2 200 Proof	
Other means of identification	None.	
Recommended use	General purpose solvent.	
Recommended restrictions	Use in accordance with manufacturer's recom	mendations.
Manufacturer/Importer/Supplier/	Distributor information	
Company Name	Greenfield Global USA Inc.	
Address	1101 Isaac Shelby Drive	
	Shelbyville, KY 40065	
	USA	
Telephone	502.232.7600	
Fax	502.633.6100	
Company Name	Greenfield Global USA Inc.	
Address	58 Vale Road	
	Brookfield, CT 06804	
	USA	
Telephone	203.740.3471	
Fax	203.740.3481	
Emergency phone number USA	CHEMTREC: 1.800.424.9300 (CCN 17213)	
International	CHEMTREC: +1.703.527.3887 (CCN 17213)	
International	CHEWITKEC. (1.703.327.3007 (CCN 17213)	
2. Hazard(s) identification		
Physical hazards	Flammable liquids	Category 2
Health hazards	Serious eye damage/eye irritation	Category 2
	Reproductive toxicity	Category 2
OSHA defined hazards	Not classified.	
Label elements		
	$\land \land \land$	



None.

### 3. Composition/information on ingredients

**Mixtures** 

Chemical name	CAS number	%
Ethyl alcohol	64-17-5	92.00 - 99.56
n-Hexane	110-54-3	0.38 - 0.43
Water	7732-18-5	0.00 - 7.50

**Composition comments** 

All concentrations are in percent by weight unless otherwise indicated. Components not listed are either non-hazardous or are below reportable limits.

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. The product is completely soluble in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
• • • • • • •	

### 8. Exposure controls/personal protection

Occupational exposure limits

Components		Туре		١	/alue	
Ethyl alcohol (CAS 64-17-5) PEL		PEL		,	1900 mg/m3	
				,	1000 ppm	
n-Hexane (CAS 110-54-3)		PEL			1800 mg/m3	
				Ę	500 ppm	
US. ACGIH Threshold Lim	nit Values					
Components		Туре		١	/alue	
Ethyl alcohol (CAS 64-17-5	)	STEL			1000 ppm	
n-Hexane (CAS 110-54-3)		TWA		Ę	50 ppm	
US. NIOSH: Pocket Guide	to Chemical I	Hazards				
Components		Туре		١	/alue	
Ethyl alcohol (CAS 64-17-5	)	TWA			1900 mg/m3	
					1000 ppm	
n-Hexane (CAS 110-54-3)		TWA			180 mg/m3	
			50 ppm			
ogical limit values						
ACGIH Biological Exposu	re Indices					
Components	Value		Determinant	Specimen	Sampling Time	
n-Hexane (CAS 110-54-3)	0.5 mg/l		2,5-Hexanedio ne, without hydrolysis	Urine	*	
* - For sampling details, ple	ase see the so	urce docu	ment.			
osure guidelines						
US - California OELs: Ski	n designation					
n-Hexane (CAS 110-54	1_3)	Can be absorbed through the skin.				

US ACGIH Threshold Limit	Values: Skin designation
n-Hexane (CAS 110-54-3	Can be absorbed through the skin.
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Chemical goggles are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.
Skin protection	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respirator type: Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Clear liquid; invisible vapor.
Odor	Sweet. Alcohol-like.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	< -148 °F (< -100 °C)
Initial boiling point and boiling range	172.9 - 173.3 °F (78.3 - 78.5 °C)
Flash point	55.4 - 57.2 °F (13.0 - 14.0 °C) Closed Cup
Evaporation rate	3 - 3.3 (butyl acetate = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	3.3 % v/v (100% Ethyl alcohol)
Flammability limit - upper (%)	19 % v/v (100% Ethyl alcohol)
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	6.61 - 6.8 lb/gal (60 °F (15.56 °C))
Solubility(ies)	
Solubility (water)	Completely soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	685.4 °F (363 °C) (100% Ethyl alcohol)
Decomposition temperature	Not available.
Viscosity	Not available.

Other informationNot explosive.Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

### Information on toxicological effects

Acute toxicity	Not expected to be acutely toxic.		
Components	Species	Test Results	
Ethyl alcohol (CAS 64-17-5)			
Acute			
Inhalation			
Vapor			
LC50	Rat	117 - 125 mg/l, 4 Hours	
Oral			
LD50	Rat	10470 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may caus	e temporary irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	1		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogeni	city to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed. NTP Report on Carcinogens	6		
Not listed.			
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001	-1053)	
Not regulated.			
Reproductive toxicity	Suspected of damaging fertility or the unborn child.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		

Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		

### 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Ethyl alcohol (CAS 64-17-5	)		
Aquatic			
Algae	EC10	Freshwater algae	11.5 mg/l, 72 hours
	EC50	Freshwater algae	275 mg/l, 72 hours
		Marine water algae	1900 mg/l
	NOEC	Marine water algae	1580 mg/l
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours
	NOEC	Freshwater fish	250 mg/l
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours
		Marine water invertebrate	857 mg/l, 48 hours
	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days
		Marine water invertebrate	79 mg/l, 96 hours
Other	EC50	Lemna minor	4432 mg/l, 7 days
	NOEC	Lemna minor	280 mg/l, 7 days
Other			
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours
Terrestial			
Plant	EC50	Terrestrial plant	633 mg/kg dw
sistence and degradability accumulative potential	No data is	s available on the degradability of this product	

### **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)				
n-Hexane (CAS 110-54-3)	3.9			
Mobility in soil	The product is completely soluble in water.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

DOT		
UN number	UN1170	
UN proper shipping name	Ethyl alcohol solution	
Transport hazard class(es)		
Class	3	
Subsidiary risk	-	

SDA 2B-2 200 Proof

Label(s)	3			
Packing group Environmental hazards	II			
	NI-			
Marine pollutant	No. Read safety instructions, SDS and emergency procedures before handling.			
Special provisions	24, IB2, T4, TP1			
Packaging exceptions	4b, 150			
Packaging non bulk	202			
Packaging bulk	242			
IATA				
UN number	UN1170			
UN proper shipping name	Ethyl alcohol solution			
Transport hazard class(es)				
Class	3			
Subsidiary risk	-			
Packing group	II			
Environmental hazards	No.			
ERG Code	3L			
	Read safety instructions, SDS and emergency procedures before handling.			
IMDG UN number	UN1170			
UN proper shipping name	ETHYL ALCOHOL SOLUTION			
Transport hazard class(es)				
Class	3			
Subsidiary risk	-			
Packing group	II			
Environmental hazards				
Marine pollutant	No.			
EmS	F-E, S-D			
	Read safety instructions, SDS and emergency procedures before handling.			
Transport in bulk according to	Not established.			
Annex II of MARPOL 73/78 and the IBC Code				
15. Regulatory information				
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)			
Not regulated.				
	ostance List (40 CFR 302.4)			
n-Hexane (CAS 110- SARA 304 Emergency re				
Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)				
Not regulated.				
Toxic Substances Control Act (TSCA)	All components of the mixture on the TSCA 8(b) inventory are designated "active".			
Superfund Amendments and Rea	authorization Act of 1986 (SARA)			
SARA 302 Extremely hazard				
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard	Flammable (gases, aerosols, liquids, or solids)			
categories	Serious eye damage or eye irritation			
	Reproductive toxicity			

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

n-Hexane (CAS 110-54-3)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** Contains component(s) regulated under the Safe Drinking Water Act.

#### (SDWA)

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethyl alcohol (CAS 64-17-5)

#### US state regulations

#### US. Massachusetts RTK - Substance List

Ethyl alcohol (CAS 64-17-5) n-Hexane (CAS 110-54-3)

#### US. New Jersey Worker and Community Right-to-Know Act

Ethyl alcohol (CAS 64-17-5) n-Hexane (CAS 110-54-3)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Ethyl alcohol (CAS 64-17-5) n-Hexane (CAS 110-54-3)

#### US. Rhode Island RTK

Ethyl alcohol (CAS 64-17-5) n-Hexane (CAS 110-54-3)

#### **California Proposition 65**

**WARNING:** This product can expose you to chemicals including n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Low priority

#### California Proposition 65 - CRT: Listed date/Developmental toxin

Toluene (CAS 108-88-3) Listed: January 1, 1991

#### California Proposition 65 - CRT: Listed date/Male reproductive toxin

n-Hexane (CAS 110-54-3) Listed: December 15, 2017

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

n-Hexane (CAS 110-54-3)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

**Revision date** 

04-January-2019

Disclaimer

01 Health: 2\* Flammability: 3 Physical hazard: 0

This product is subject to Greenfield Global USA Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-us/. Greenfield cannot anticipate all conditions under which this information and this product, or the products of other manufacturers in combination with this product, may be used. The user is responsible for the proper and safe use, handling, storage and disposal of the product, and assumes liability for any loss, injury, damage or expense arising from any failure to do so. The data in this sheet is based on information and experience available at the time of writing.