# GREENFIELD

## SAFETY DATA SHEET

## 1. Identification

Product identifier Natural flavor extender

Other means of identification

Synonyms Natural flavor extender, Natural flavor (flavour), Flavored (Flavoured) alcohol, TTB Formula

1333389, Organic natural flavor extender

Recommended use Flavoured beverage alcohol

Recommended restrictions Refer to the alcohol control authority in which the product is to be used - Canada Revenue Agency

(Excise) in Canada, US Tax and Trade Bureau in the US, etc.

Manufacturer/Importer/Supplier/Distributor information

**Company name** Greenfield Global Inc. **Address** 6985 Financial Drive

Missisauga, Ontario L5N 0G3

Canada

**Telephone** (905) 790-7500

Website http://www.greenfield.com
Emergency phone number CANUTEC: (613) 996-6666

## 2. Hazard identification

Physical hazardsFlammable liquidsCategory 2Health hazardsSerious eye damage/eye irritationCategory 2

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapour. Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire:

Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards None known.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	93.87
Natural flavouring			6.13

Natural flavour extender SDS Canada

957149 Version #: 03 Revision date: 02-June-2023 Issue date: 19-February-2021

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical Skin contact

attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

**General information** Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Specific methods General fire hazards In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Highly flammable liquid and vapour.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

## **Environmental precautions**

## 7. Handling and storage

## Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Natural flavour extender SDS Canada Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

Осси	national	exposure	limits
Occu	pational	exposure	111111113

	nit Values Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada, Alberta OELs (O	ccupational Health & Safety Code, Sche	edule 1. Table 2)
Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm
		for Chemical Substances, Occupational Health and
Safety Regulation 296/97, Components	as amended) Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada, Manitoba OELs (	Reg. 217/2006, The Workplace Safety A	nd Health Act)
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada. Ontario OELs. (C	control of Exposure to Biological or Che	emical Agents)
Components	Туре	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Canada. Quebec OELs. (N	linistry of Labor - Regulation respectin	g occupational health and safety)
Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3
		1000 ppm
		• •
Canada. Saskatchewan O Components	ELs (Occupational Health and Safety R Type	• •
		egulations, 1996, Table 21)
Components	Туре	egulations, 1996, Table 21) Value
Components	Type 15 minute	egulations, 1996, Table 21) Value  1250 ppm 1000 ppm
Ethanol (CAS 64-17-5)	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineer	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  aust ventilation. Good general ventilation should be used. c conditions. If applicable, use process enclosures, local ing controls to maintain airborne levels below recommended to the process of the
Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash states, such as personal protective equipments.	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. to conditions. If applicable, use process enclosures, local ling controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.
Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash sta	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. to conditions. If applicable, use process enclosures, local ing controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.
Components  Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols  ividual protection measure Eye/face protection  Skin protection	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineer exposure limits. If exposure limits hav acceptable level. Provide eyewash states, such as personal protective equipmed Wear safety glasses with side shields	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. to conditions. If applicable, use process enclosures, local ing controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.  ent  (or goggles).
Components  Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols  ividual protection measure Eye/face protection	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash states, such as personal protective equipmed Wear safety glasses with side shields  Wear appropriate chemical resistant of	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. to conditions. If applicable, use process enclosures, local ling controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.
Components  Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols  ividual protection measure Eye/face protection  Skin protection	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash states, such as personal protective equipmed Wear safety glasses with side shields  Wear appropriate chemical resistant of	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. o conditions. If applicable, use process enclosures, local ing controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.  ent  (or goggles).  gloves. Suitable gloves can be recommended by the glove penetrate the gloves. Frequent change is advisable.
Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols  ividual protection measure Eye/face protection  Skin protection  Hand protection	Type  15 minute 8 hour  No biological exposure limits noted fo Explosion-proof general and local exh Ventilation rates should be matched to exhaust ventilation, or other engineeri exposure limits. If exposure limits hav acceptable level. Provide eyewash sta es, such as personal protective equipme Wear safety glasses with side shields  Wear appropriate chemical resistant of supplier. Be aware that the liquid may Wear appropriate chemical resistant of If engineering controls do not maintain limits (where applicable) or to an acces	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. o conditions. If applicable, use process enclosures, local ing controls to maintain airborne levels below recommende e not been established, maintain airborne levels to an ation and safety shower.  ent  (or goggles).  gloves. Suitable gloves can be recommended by the glove penetrate the gloves. Frequent change is advisable.
Ethanol (CAS 64-17-5)  logical limit values propriate engineering atrols  ividual protection measure Eye/face protection  Skin protection  Hand protection  Other	Type  15 minute 8 hour  No biological exposure limits noted for Explosion-proof general and local exhibition rates should be matched to exhaust ventilation, or other engineer exposure limits. If exposure limits have acceptable level. Provide eyewash states, such as personal protective equipmed Wear safety glasses with side shields.  Wear appropriate chemical resistant of supplier. Be aware that the liquid may wear appropriate chemical resistant of the figure of the figure of the maintain limits (where applicable) or to an acceptable established), an approved respirate.	egulations, 1996, Table 21)  Value  1250 ppm  1000 ppm  r the ingredient(s).  naust ventilation. Good general ventilation should be used. to conditions. If applicable, use process enclosures, local ing controls to maintain airborne levels below recommende the not been established, maintain airborne levels to an action and safety shower.  ent  (or goggles).  gloves. Suitable gloves can be recommended by the glove or penetrate the gloves. Frequent change is advisable.  clothing. In airborne concentrations below recommended exposure eptable level (in countries where exposure limits have not reator must be worn. Respirator type: Chemical respirator was

Natural flavour extender SDS Canada

957149 Version #: 03 Revision date: 02-June-2023 Issue date: 19-February-2021

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Colour Colourless.
Odour Alcohol.

Odour threshold 0.1 - 5100 ppm (Ethyl Alcohol)

pH Not applicable.

Melting point/freezing point -120 °C (-184 °F)

Initial boiling point and boiling 78.3 - 100 °C (172.94 - 212 °F)

range

Flash point 18.5 °C (65.3 °F) Tag closed cup (ASTM D-56)

Evaporation rate 1.7

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

**Explosive limit - lower (%)** 3.3 (Ethyl Alcohol) **Explosive limit - upper** 19 (Ethyl Alcohol)

(%)

Vapour pressure 5.87 kPa @ 20 °C (68 °F) (Ethyl alcohol)

Vapour density 1.59

Relative density 0.8061 (20 °C (68 °F))

Solubility(ies)

Solubility (water) Complete
Partition coefficient ~0.032

(n-octanol/water)

Auto-ignition temperature370 °C (698 °F)Decomposition temperatureNot available.ViscosityNot available.

Other information

**Dynamic viscosity** 1.5 cP (20 °C (68 °F))

**Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

Percent volatile 100

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Natural flavour extender SDS Canada

957149 Version #: 03 Revision date: 02-June-2023 Issue date: 19-February-2021

Symptoms related to the physical, chemical and toxicological characteristics Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing.

## Information on toxicological effects

**Acute toxicity** 

Components **Species Test Results** Ethanol (CAS 64-17-5) Acute Inhalation Vapour LC50 Rat 117 - 125 mg/l, 4 Hours Oral LD50 Rat 10470 mg/kg

Skin corrosion/irritation Serious eve damage/eve

Causes serious eye irritation.

irritation

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

Prolonged skin contact may cause temporary irritation.

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

**ACGIH Carcinogens** 

Ethanol (CAS 64-17-5) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Ethanol (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -Not classified.

repeated exposure

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Aquatic			
Acute			
Algae	EC10	Freshwater algae	11.5 mg/l, 72 hours
	EC50	Freshwater algae	275 mg/l, 72 hours
		Marine water algae	1900 mg/l
Fish	LC50	Freshwater fish	11200 mg/l, 24 hours
Invertebrate	EC50	Freshwater invertebrate	5012 mg/l, 48 hours
		Marine water invertebrate	857 mg/l, 48 hours
Other	EC50	Lemna minor	4432 mg/l, 7 days
Chronic			
Algae	NOEC	Marine water algae	1580 mg/l
Fish	NOEC	Freshwater fish	250 mg/l

Natural flavour extender SDS Canada

957149 Version #: 03 Revision date: 02-June-2023 Issue date: 19-February-2021

Components		Species	Test Results	
Invertebrate	NOEC	Freshwater invertebrate	9.6 mg/l, 10 days	
		Marine water invertebrate	79 mg/l, 96 hours	
Other	NOEC	Lemna minor	280 mg/l, 7 days	
Other				
Acute				
Micro-organisms	LC50	Micro-organisms	5800 mg/l, 4 hours	
Terrestrial				
Acute				
Plant	EC50	Terrestrial plant	633 mg/kg dw	

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Other adverse effects

Potential to bioaccumulate is low.

Mobility in soil Expected to be mobile in soil.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

No data available.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

**TDG** 

UN1987 **UN** number

**UN** proper shipping name

ALCOHOLS, N.O.S. (Ethanol)

Transport hazard class(es)

**Class** 3 Subsidiary risk Ш Packing group **Environmental hazards** No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

**UN** number UN1987

**UN proper shipping name** Alcohols, n.o.s. (Ethanol)

Transport hazard class(es)

Class 3 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

**UN** number UN1987

**UN** proper shipping name ALCOHOLS, N.O.S. (Ethanol)

Transport hazard class(es)

3 Class Subsidiary risk Ш Packing group

**Environmental hazards** 

Marine pollutant No. **EmS** F-E, S-D

Natural flavour extender SDS Canada **Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable. This substance/mixture is not intended to be transported in bulk.

## 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

## International regulations

### **Stockholm Convention**

Not applicable.

## **Rotterdam Convention**

Not applicable.

## **Kyoto Protocol**

Not applicable.

## **Montreal Protocol**

Not applicable.

## **Basel Convention**

Not applicable.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

Issue date19-February-2021Revision date02-June-2023

Version No. 03

Natural flavour extender SDS Canada

957149 Version #: 03 Revision date: 02-June-2023 Issue date: 19-February-2021

### Disclaimer

This product is subject to Greenfield Global Inc.'s terms and conditions, which can be found at http://www.greenfield.com/tc-po-can/. The information in this SDS is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the material and not as a guarantee of the properties thereof. No warranty guarantee or representation is made to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy itself as to the suitability of such information for its own particular use. This information relates only to the specific product designated and may not be valid for such product used in combination with any other materials or in any process. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations applicable to the use, storage, or handling of the product. THE COMPANY MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, OR USAGE OF TRADE, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. Given the variety of factors that can affect the use and application of the product, which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to independently determine whether it is fit for a particular purpose, suitable, safe, and/or lawful for user's method of use or application.

Natural flavour extender SDS Canada